

WHAT IS CLAIMED IS:

1. A beverage bauble, comprising:

- a glassware engaging member associable with a piece of beverage glassware,

wherein the glassware engaging member comprises:

- a primary aperture, wherein the primary aperture is releasably securable around at least a portion of the piece of beverage glassware; and

- means for releasably securing the glassware engaging member to the piece of beverage glassware; and

- a primary identifier, wherein the primary identifier includes a connector which secures the primary identifier to the glassware engaging member.

2. The beverage bauble according to claim 1, wherein the releasable securement means consists of:

- a secondary aperture associated with the glassware engaging member; and

- a prong, wherein the prong is releasably securable within the secondary aperture.

3. The beverage bauble according to claim 1, wherein the releasable securement means consists of a first hook and a second hook, wherein the first hook is releasably securable to the second hook.

4. A beverage bauble, comprising:

- a glassware engaging member associable with a piece of beverage glassware,

wherein the glassware engaging member comprises:

- a primary aperture, wherein the primary aperture is releasably securable

around at least a portion of the piece of beverage glassware; and

- means for releasably securing the glassware engaging member to the piece of beverage glassware;

- a primary identifier, wherein the primary identifier includes a connector which secures the primary identifier to a jump ring; and

- a jump ring, wherein the jump ring secures the connector to the glassware engaging member.

5. The beverage bauble according to claim 4, wherein the releasable securement means consists of:

- a secondary aperture associated with the glassware engaging member; and

- a prong, wherein the prong is releasably securable within the secondary aperture.

6. The beverage bauble according to claim 4, wherein the releasable securement means consists of a first hook and a second hook, wherein the first hook is releasably securable to the second hook.

7. A beverage bauble, comprising:

- a glassware engaging member associable with a piece of beverage glassware,

wherein the glassware engaging member comprises:

- a primary aperture, wherein the primary aperture is releasably securable

around at least a portion of the piece of beverage glassware; and

- means for releasably securing the glassware engaging member to the piece of beverage glassware;

- a primary identifier, wherein the primary identifier includes a connector which secures the primary identifier to a jump ring;

- the jump ring, wherein the jump ring secures the connector to the glassware engaging member; and

- at least one supplemental identifier associated with the glassware engaging member, wherein the at least one supplemental identifier includes an aperture, and further wherein the glassware engaging member is positioned within the aperture of the at least one supplemental identifier.

8. The beverage bauble according to claim 7, wherein the releasable securement means consists of:

- a secondary aperture associated with the glassware engaging member; and

- a prong, wherein the prong is releasably securable within the secondary aperture.

9. The beverage bauble according to claim 7, wherein the releasable securement means consists of a first hook and a second hook, wherein the first hook is releasably securable to the second hook.

5 10. A piece of beverage glassware, comprising:

- a beverage reservoir;
- at least one of a stem and a handle;
- a base; and
- a beverage bauble, wherein the beverage bauble is releasably secured to at least

10 one of the stem and the handle.

11. The piece of beverage glassware according to claim 10, wherein the beverage bauble comprises:

- a glassware engaging member associable with the piece of beverage glassware,

15 wherein the glassware engaging member comprises:

- a primary aperture, wherein the primary aperture is releasably securable around at least a portion of the piece of beverage glassware; and

- means for releasably securing the glassware engaging member to the piece of beverage glassware; and

20 - a primary identifier, wherein the primary identifier includes a connector which secures the primary identifier to the glassware engaging member.

12. The piece of beverage glassware according to claim 11, wherein the releasable securement means consists of:

- a secondary aperture associated with the glassware engaging member; and
- a prong, wherein the prong is releasably securable within the secondary aperture.

5

13. The piece of beverage glassware according to claim 11, wherein the releasable securement means consists of a first hook and a second hook, wherein the first hook is releasably securable to the second hook.

10

14. The piece of beverage glassware according to claim 10, wherein the beverage bauble comprises:

- a glassware engaging member associable with the piece of beverage glassware, wherein the glassware engaging member comprises:

15

- a primary aperture, wherein the primary aperture is releasably securable around at least a portion of the piece of beverage glassware; and

- means for releasably securing the glassware engaging member to the piece of beverage glassware;

- a primary identifier, wherein the primary identifier includes a connector which secures the primary identifier to a jump ring; and

20

- the jump ring, wherein the jump ring secures the connector to the glassware engaging member.

15. The piece of beverage glassware according to claim 14, wherein the releasable securement means consists of:

- a secondary aperture associated with the glassware engaging member; and
- a prong, wherein the prong is releasably securable within the secondary aperture.

5

16. The piece of beverage glassware according to claim 14, wherein the releasable securement means consists of a first hook and a second hook, wherein the first hook is releasably securable to the second hook.

10

17. The piece of beverage glassware according to claim 10, wherein the beverage bauble comprises:

- a glassware engaging member associable with the piece of beverage glassware, wherein the glassware engaging member comprises:

- a primary aperture, wherein the primary aperture is releasably securable

15

around at least a portion of the piece of beverage glassware; and

- means for releasably securing the glassware engaging member to the piece of beverage glassware;

- a primary identifier, wherein the primary identifier includes a connector which secures the primary identifier to a jump ring;

20

- the jump ring, wherein the jump ring secures the connector to the glassware engaging member; and

- at least one supplemental identifier associated with the glassware engaging member, wherein the at least one supplemental identifier includes an aperture, and further

wherein the glassware engaging member is positioned within the aperture of the at least one supplemental identifier.

18. The piece of beverage glassware according to claim 17, wherein the releasable
5 securement means consists of:

- a secondary aperture associated with the glassware engaging member; and
- a prong, wherein the prong is releasably securable within the secondary aperture.

19. The piece of beverage glassware according to claim 17, wherein the releasable
10 securement means consists of a first hook and a second hook, wherein the first hook is releasably securable to the second hook.

20. A process for identifying a piece of beverage glassware, comprising the steps of:

- providing a piece of beverage glassware, wherein the piece of beverage
15 glassware comprises:

- a beverage reservoir;
- at least one of a stem and a handle, wherein the at least one of the stem and the handle is releasably securable to a beverage bauble; and
- a base;

20 - providing a beverage bauble;

- and associating the beverage bauble with at least one of the stem and handle of the piece of beverage glassware, to in turn, uniquely identify the piece of beverage glassware.